

Equipment is Our Product. Service is Our Business.

Parts • Sales • Service • Rentals

www.lubyequipment.com









RENTAL EQUIPMENT RATES and SPECIFICATIONS

www.lubyrents.com



Luby Equipment traces its beginnings to 1977, when Bob Luby seized the opportunity to become an owner of Machine Maintenance and Equipment Company. He had begun his career in heavy equipment sales and had experience in everything from cranes to excavators. Initially, the company focused on maintaining and repairing heavy industrial equipment, but it has since grown to include three divisions that sell and service equipment—the construction equipment division, the oilfield division, and the power generation division.

Construction Equipment

The construction division has expanded through acquisitions and branch additions. The first acquisition was Bistate Machinery, the Fiat Allis dealer, in 1989. Three years later, Luby purchased Case Power & Equipment in St. Louis and Cape Girardeau, MO, and branch openings in Illinois followed in Quincy, Springfield, and Fairmont City. Today, there are six locations in the construction equipment division.

Oilfields

The beginnings of the oilfield division emerged when the company became a dealer for Ingersoll-Rand water well drills, down hole hammers and bits, and high-pressure compressors. Initially, the company focused on servicing the water well industry, but with the explosive growth in oil and gas production, Luby naturally increased its involvement with those activities as well. Our West Virginia location supplies equipment, parts and service, including renting compressor packages with operators, hammer and bit sales and rental. Other equipment rentals include but not limited to wheel loaders, excavators, telehandlers and man lifts.

Power Generation

The power generation division was launched in 2005 when Luby Equipment Services was approached by a major manufacturer of power generator products to represent their products in Luby's markets. This division's growth was aided by several ice storms, and it has become a major division and an integral part of the company. The common thread throughout the company is its emphasis on service and the need for 24/7 emergency response. Today, Luby sells and supports its power generation products throughout Missouri and Illinois, with six full service locations, just as it does with other equipment lines. Luby is one of the largest providers of scheduled maintenance contracts in the two state area, offering

maintenance services to all generator owners and covering all brands of generators.

Our Family Business

Bob's sons, Tim and Steve, grew up in the family business, spending summers helping out in the parts department. Today, Steve has his feet firmly planted in Luby Equipment. Like most successful family businesses, Luby Equipment has a loyal group of employees who have been with the company for many years. They all strive to satisfy customers 100% of the time. The motto they all embrace is: "Equipment is Our Product. Service is Our Business."

Our Services

Maintaining a policy of zero downtime, Luby Equipment provides same day parts delivery and on-site service, 24 hours a day, 7 days a week. Technicians undergo extensive training and are certified for any equipment they service. They routinely troubleshoot a situation to identify problems and quickly offer solutions to enhance your equipment's performance.

Our Customers

Luby Equipment's core customer base began with smaller mom and pop companies. Many of these companies have grown, as Luby has, and customers now range in size from small startups to very large companies, many of which are second and third generation family businesses. Customers represent a wide variety of business. Construction companies, road builders, excavating contractors, utility contractors, landscapers, government agencies, quarries and aggregate processors. Oil and gas companies, rental companies, farmers, recyclers and waste handlers, railroad and municipality crews. Additionally industries with warehouses and routine maintenance needs.

Our Equipment

When the opportunity arose, Luby Equipment expanded its equipment lines in ways that help customers with their businesses. The equipment brands Luby carries, include the full line of CASE construction equipment, Takeuchi compact track loaders and mini excavators and Toro construction equipment. Additionally we carry trailers and a wide variety of ground engaging tools and attachments from Fecon and Indeco. Shoring equipment is provided by Luby Shoring Services, LLC.

Table of Contents

CONSTRUCTION EQUIPMENT 3 – 7
Loader Backhoes CASE
Crawler Dozers CASE
Compact Track Loaders CASE, Takeuchi 4
Skid Steers CASE4
Skid Steer/Track/Loader Attachments Stanley-Paladin, Fecon5
Breakers Indeco 5
Excavators — Compact CASE, Takeuchi 6

Excavators — Tracked CASE	. 6
Compact Wheel Loaders CASE	7
Wheel Loaders CASE	7
Rough Terrain Forklifts CASE	7
COMPACTION EQUIPMENT	٠. ٤
Single Drum — Sheepsfoot/	
Single Drum — Sheepsfoot/	

Trench Rollers —	
Remote Control Wacker Neuson	8
MISCELLANEOUS EQUIPMENT	. 9
Machine Control Systems Leica	9
Lasers Leica	. 9
Compact Utility Vehicles Toro	. 9
TRENCH SHIELDING AND SHORING EQUIPMENT.	. 10
RENTAL TERMS AND CONDITIONS	

Construction Equipment

Loader Backhoes



		Operating	Max Dig			
Model	Net HP	Weight	Depth	Day	Week	4 Weeks
580N EP	74 HP	15,795 lb	18' 6"	\$325	\$895	\$2,470
580N	90 HP	16,589 lb	18' 3"	\$355	\$975	\$2,665
580SN	97 HP	17,269 lb	17'11"	\$375	\$1,030	\$2,825
580SN WT	97 HP	20,077 lb	18'	\$395	\$1,085	\$3,000
580SV	97 HP	18,695 lb	14' 5"	\$375	\$1,030	\$2,825
590SN	110 HP	20,532 lb	19' 6"	\$415	\$1,135	\$3,125

All units equipped with cab heater and A/C, X-hoe, 4 wheel drive, ride control, manual quick coupler, and auxiliary hydraulics

ADDITIONAL BACKHOE ATTACHMENTS

Model	Day	Week	4 Weeks
Additional Bucket Rental	\$55	\$165	\$490
Auger and Bit	\$110	\$325	\$980
Auger Extension	\$20	\$65	\$195
Additional Auger Bit	\$55	\$165	\$490
HP1100 Breaker	\$460	\$1,385	\$4,155
HP1250 Breaker	\$475	\$1,420	\$4,255
HP1500 Breaker	\$490	\$1,465	\$4,400





Crawler Dozers



		Operating	Pad	Blade			
Model	Net HP	Weight	Width	Width	Day	Week	4 Weeks
650M	68 HP	15,803 lb	24"	90"	\$435	\$1,445	\$3,910
750M	92 HP	20,040 lb	28"	96"	\$545	\$1,795	\$4,890
850M	112 HP	21,980 lb	28"	104"	\$650	\$2,175	\$5,870
1150M	127 HP	31,134 lb	30"	120"	\$790	\$2,365	\$7,090
1650M	150 HP	37,756 lb	34"	130"	\$895	\$2,905	\$8,070
2050M	214 HP	45,414 lb	36"	135"	\$1,195	\$3,965	\$10,760

Extra long track, wide track, and low ground pressure models available.



Compact Track Loader





Model	Net HP	Operating Weight	Rated Operating Capacity*	Available Bucket Widths	Day	Week	4 Weeks
TR270B	74 HP	8,270 lb	2,700 lb	66"	\$355	\$1,020	\$2,920
TR270B HF	74 HP	8,270 lb	2,700 lb	66"	\$375	\$1,120	\$3,215
TR310B	74 HP	8,880 lb	3,100 lb	72"	\$365	\$1,045	\$2,950
TR310B HF	74 HP	8,880 lb	3,100 lb	72"	\$395	\$1,165	\$3,245
TR340B	90 HP	10,000 lb	3,400 lb	78"	\$400	\$1,195	\$3,355
TR340B HF	90 HP	10,000 lb	3,400 lb	78"	\$435	\$1,300	\$3,705
TV370B	74 HP	9,630 lb	3,700 lb	78"	\$415	\$1,215	\$3,375
TV370B HF	74 HP	9,630 lb	3,700 lb	78"	\$445	\$1,290	\$3,635
TV450B	90 HP	10,610 lb	4,500 lb	78"	\$490	\$1,530	\$3,765
TV450B HF	90 HP	10,610 lb	4,500 lb	78"	\$525	\$1,615	\$3,045
TV620B	114 HP	16,100 lb	6,200 lb	78"	\$630	\$1,940	\$4,855

TR = Radial Lift, TV = Vertical Lift, HF = High Flow • Machines equipped with smooth or tooth bucket • See page 5 for attachments





Model	Net HP	Operating Weight	Rated Operating Capacity*	Available Bucket Widths	Day	Week	4 Weeks
TL6CR	65 HP	7,780 lb	2,635 lb	60" - 80"	\$340	\$1,015	\$2,805
TL8R2-CR	74 HP	8,631 lb	3,010 lb	60" - 80"	\$365	\$1,045	\$2,950
TL8R2-CRH	74 HP	8,631 lb	3,010 lb	60" - 80"	\$395	\$1,165	\$3,245
TL10V2	74 HP	10,270 lb	3,600 lb	70" – 90"	\$415	\$1,215	\$3,375
TL10V2 HF	74 HP	10,270 lb	3,600 lb	70" – 90"	\$445	\$1,290	\$3,635
TL12R2/V2	111 HP	12,590 lb	4,315 lb	76" – 90"	\$490	\$1,530	\$3,765
TL12R2/V2 HF	111 HP	12,590 lb	4,315 lb	76" – 90"	\$525	\$1,615	\$4,045

HF = High Flow • Machines equipped with smooth or tooth bucket • See page 5 for attachments

Skid Steers





		Operating	Rated Operating	Available			
Model	Net HP	Weight	Capacity*	Bucket Widths	Day	Week	4 Weeks
SR160B	60 HP	5,510 lb	1,600 lb	66" - 84"	\$200	\$600	\$1,795
SR175B	67 HP	6,270 lb	1,750 lb	66" - 84"	\$200	\$600	\$1,795
SR175B HF	67 HP	6,270 lb	1,750 lb	66" - 84"	\$215	\$650	\$1,955
SV185B	60 HP	6,570 lb	1,850 lb	66" - 84"	\$235	\$790	\$2,120
SV185B HF	60 HP	6,570 lb	1,850 lb	66" - 84"	\$245	\$735	\$2,200
SR210B	74 HP	6,970 lb	2,100 lb	66" – 84"	\$300	\$1,055	\$2,690
SR210B HF	74 HP	6,970 lb	2,100 lb	66" - 84"	\$325	\$1,140	\$2,935
SR240B	74 HP	7,400 lb	2,400 lb	66" – 84"	\$310	\$1,085	\$2,710
SR240B HF	74 HP	7,400 lb	2,400 lb	66" – 84"	\$335	\$1,225	\$3,015
SR270B	90 HP	8,117 lb	2,700 lb	70" – 84"	\$320	\$1,140	\$2,710
SR270B HF	90 HP	8,117 lb	2,700 lb	70" – 84"	\$355	\$1,250	\$3,000
SV280B	74 HP	8,090 lb	2,800 lb	70" – 84"	\$320	\$1,140	\$2,710
SV280B HF	74 HP	8,090 lb	2,800 lb	70" – 84"	\$355	\$1,250	\$3,015
SV340B	90 HP	9,100 lb	3,400 lb	70" – 84"	\$335	\$1,140	\$2,745
SV340B HF	90 HP	9,100 lb	3,400 lb	70" – 84"	\$365	\$1,250	\$3,035

SR = Radial Lift, SV = Vertical Lift, HF = High Flow • Machines equipped with smooth or tooth bucket • See page 5 for attachments

Skid Steer/Track Loader Attachments

FECON STANLEY OVINIE

	NEW TOWN		
Description	Day	Week	4 Weeks
LOADER ATTACHMENTS STANDARD FLOW			
Breaker 500 ft lb	\$245	\$735	\$2,200
Breaker 750 ft lb	\$285	\$850	\$2,545
Brush Hog 72" – 80"	\$270	\$950	\$2,445
Bucket – Extra	\$55	\$165	\$490
Dozer Blade 80" or 96"	\$165	\$570	\$1,465
Drop Hammer Cyclone 3,500 lb	\$300	\$1,045	\$2,690
Pallet Fork	\$55	\$165	\$490
Power Rake	\$270	\$895	\$2,445
Grapple 72" – 78"	\$100	\$340	\$880
Soil Conditioner/Preparator	\$165	\$570	\$1,465
Stump Planer	\$80	\$270	\$790
Trencher – 6" W x 48" D	\$185	\$620	\$1,685
Tree Puller	\$80	\$270	\$790
LOADER ATTACHMENTS HIGH FLOW			
Cold Planer – 40" Drum	\$610	\$2,030	\$5,475
Mulcher	\$545	\$1,845	\$4,890
AUGERS			
Auger Drives with Bit up to 24"	\$110	\$325	\$980
Auger Extra Bits up to 24"	\$55	\$190	\$490
Auger Extra Bits 30" to 36"	\$80	\$290	\$735
Auger Extension	\$20	\$65	\$195
BROOMS			
Broom, Angle 84"	\$245	\$760	\$2,200
Broom, Pickup 72"	\$245	\$760	\$2,200
	-		



Breakers



Model	Carry Weight Minimum	Carry Weight Maximum	Flow Supply	Day	Week	4 Weeks
HP550	3,750 lb	14,300 lb	8 – 16 g/m	\$245	\$735	\$2,200
HP800	6,650 lb	17,600 lb	14 – 22 g/m	\$285	\$850	\$2,545
HP1000	7,750 lb	23,100 lb	14 – 24 g/m	\$460	\$1,385	\$4,155
HP1100	8,850 lb	26,450 lb	16 – 27 g/m	\$460	\$1,385	\$4,155
HP1250	11,050 lb	30,850 lb	19 – 28 g/m	\$475	\$1,420	\$4,255
HP1500	14,400 lb	35,200 lb	19 – 29 g/m	\$490	\$1,495	\$4,510
HP2000	26,500 lb	48,500 lb	23 – 25 g/m	\$705	\$2,120	\$6,355
HP3000	33,000 lb	55,000 lb	30 – 40 g/m	\$815	\$2,445	\$7,390
HP4000	35,500 lb	61,500 lb	34 – 43 g/m	\$905	\$2,900	\$8,585
HP5000	42,000 lb	70,500 lb	39 – 48 g/m	\$1,030	\$3,095	\$9,345
HP6000	46,500 lb	83,500 lb	43 – 53 g/m	\$1,115	\$3,330	\$10,000
HP7500	51,000 lb	92,000 lb	48 – 61 g/m	\$1,415	\$4,240	\$12,715


¹Skid steer, track loader, or compact excavator • ²Backhoe or midi excavator • ³130 – 160 lb excavator class

4160 - 225 lb excavator class • 5330 - 470 lb excavator class



Excavators





SR = Short Radius • Breakers—see page 5 for breaker sizes and pricing



13KPUCHI



Model	Net HP	Operating Weight	Max Dig Depth	Day	Week	4 Weeks
CX130D	102 HP	29,131 lb	18' 3"	\$635	\$1,855	\$5,375
CX140E	102 HP	29,900 lb	19' 10"	\$655	\$1,900	\$5,515
CX145D SR	102 HP	32,100 lb	18' 1"	\$655	\$1,900	\$5,515
CX160D	112 HP	38,400 lb	19' 11"	\$670	\$1,930	\$5,600
CX170E	121 HP	38,400 lb	21' 4"	\$670	\$1,930	\$5,600
CX190E	121 HP	41,000 lb	21' 4"	\$670	\$1,930	\$5,600
CX210D	160 HP	48,859 lb	20' 1"	\$735	\$2,145	\$6,190
CX220E	162 HP	52,000 lb	21' 9"	\$800	\$2,325	\$6,735
CX245D SR	160 HP	56,900 lb	20' 1"	\$865	\$2,505	\$7,280
CX250D	177 HP	56,909 lb	22' 8"	\$815	\$2,375	\$6,900
CX300D	207 HP	67,271 lb	22' 9"	\$1,115	\$3,220	\$9,340
CX350D	268 HP	82,483 lb	24' 1"	\$1,375	\$4,005	\$11,625
CX365E SR	205 HP	78,600 lb	21' 1"	\$1,245	\$3,615	\$10,485
CX490D	362 HP	109,300 lb	25' 4"	\$1,765	\$5,110	\$14,835

SR = Short Radius, RT = Rubber Track, LR = Long Reach • Available with hydraulic couplers or thumbs add 15%

• Breakers—see page 5 for breaker sizes and pricing



					11/6	
		Operating	Max Dig			
Model	Net HP	Weight	Depth	Day	Week	4 Weeks
TB210R	11.7 HP	2,535 lb	5' 9"	\$220	\$785	\$1,985
TB216	15 HP	3,902 lb	7' 10"	\$245	\$800	\$2,110
TB20E	173 V	4,255 lb	7'10"	\$245	\$800	\$2,110
TB225R	19.6 HP	4,993 lb	8' 5.5"	\$305	\$880	\$2,535
TB230	24.4 HP	6,360 lb	9' 3"	\$280	\$825	\$2,400
TB235-2R	29.8 HP	7,650 lb	11' 2"	\$330	\$985	\$2,865
TB335	24.4 HP	7,970 lb	10' 6"	\$330	\$985	\$2,865
TB240	35.8 HP	8,570 lb	11' 4"	\$330	\$985	\$2,865
TB350	41.7 HP	11,235 lb	11' 8.8"	\$355	\$1,070	\$3,155
TB250-2	39 HP	11,288 lb	12' 5"	\$355	\$1,070	\$3,155
TB260	47.6 HP	12,645 lb	12' 9"	\$355	\$1,070	\$3,155
TB370	56.9 HP	14,850 lb	13′ 5″	\$385	\$1,245	\$3,730
TB290	69.2 HP	18,630 lb	15'	\$470	\$1,415	\$4,195
MINIMAL TAIL S	SWING					
TB257FR	52.3 HP	12,930 lb	12' 9.5"	\$335	\$1,020	\$3,005
TB280FR	69.2 HP	18,810 lb	14' 11"	\$470	\$1,415	\$4,195
TB2150CL	114 HP	34,215 lb	19' 9"	\$655	\$1,900	\$5,515
Breakers—see page 5 f	for breaker sizes and pr	icing				

Compact wheel Loader



		Operating	Max Heaped			
Model	Net HP	Weight	Bucket Capacity	Day	Week	4 Weeks
21F	58 HP	11,272 lb	0.92 yd ³	\$330	\$990	\$2,975
21F XT	58 HP	10,979 lb	0.92 yd³	\$330	\$990	\$2,975
121F	64 HP	11,618 lb	1.05 yd³	\$330	\$990	\$2,975
121F XT	64 HP	11,067 lb	1.05 yd³	\$330	\$990	\$2,975
221F HS	74 HP	12,547 lb	1.2 yd ³	\$385	\$1,160	\$3,475
321F HS	74 HP	13,303 lb	1.3 yd³	\$385	\$1,160	\$3,475
XT = Tool Carrier, HS =	High Speed					



Wheel Loaders



		Operating	Max Heaped			
Model	Net HP	Weight	Bucket Capacity	Day	Week	4 Weeks
521G	142 HP	24,035 lb	2.3 yd³	\$545	\$1,580	\$4,590
521G XT	142 HP	25,384 lb	2.3 yd ³	\$545	\$1,580	\$4,590
521G XR	142 HP	24,572 lb	2.3 yd³	\$545	\$1,580	\$4,590
621G	162 HP	27,695 lb	2.7 yd³	\$595	\$1,725	\$5,005
621G XT	162 HP	29,076 lb	2.7 yd³	\$595	\$1,725	\$5,005
621G XR	162 HP	28,483 lb	2.7 yd³	\$595	\$1,725	\$5,005
721G	195 HP	32,492 lb	3.50 yd³	\$680	\$1,970	\$5,705
721G XT	195 HP	33,392 lb	3.50 yd³	\$680	\$1,970	\$5,705
721G XR	195 HP	32,851 lb	3.50 yd³	\$680	\$1,970	\$5,705
821G	230 HP	40,057 lb	4.25 yd³	\$760	\$2,205	\$6,395
821G XR	230 HP	40,648 lb	4.25 yd³	\$760	\$2,205	\$6,395
921G	255 HP	45,071 lb	4.75 yd³	\$1,080	\$3,140	\$9,095
921G XR	255 HP	45,651 lb	4.75 yd³	\$1,080	\$3,140	\$9,095
1021G	320 HP	55,282 lb	5.50 yd³	\$1,365	\$3,860	\$11,520
1021G	320 HP	55,282 lb	5.50 yd³	\$1,365	\$3,860	\$11,520
1121G	347 HP	61,650 lb	6.25 yd³	\$1,655	\$4,770	\$13,835
1121G XR	347 HP	63,443 lb	6.25 yd³	\$1,655	\$4,770	\$13,835
FORK ATTACH	MENT			\$55	\$165	\$490



XT = Tool Carrier, XR= Extended Reach • Quick couplers available, add 15%

Rough Terrain Forklifts



Model	Туре	Operating Weight	Capacity	Reach	Day	Week	4 Weeks
586H	Standard	13,682 lb	6,000 lb	15'	\$300	\$870	\$2,555
588H	Standard	16,102 lb	8,000 lb	15'	\$325	\$980	\$2,935



Single Drum - Sheepsfoot/Smooth Rollers





		Operating	Drum			
Model	Rated HP	Weight	Width	Day	Week	4 Weeks
SV207E	75 HP	15,400 lb	66"	\$560	\$1,625	\$4,700
SV208D	75 HP	15,100 lb	66"	\$560	\$1,625	\$4,700
SV211E PF	134 HP	27,650 lb	84"	\$600	\$1,735	\$5,055
SV213E	134 HP	25,630 lb	83.9"	\$600	\$1,735	\$5,055
SV215E	154 HP	33,420 lb	83.9"	\$625	\$1,820	\$5,270
SV216D	154 HP	31,640 lb	84"	\$625	\$1,820	\$5,270
SV217E	154 HP	36,500 lb	83.9"	\$625	\$1,820	\$5,270

Double Drum Vibratory/Asphalt Rollers





Model	Rated HP	Weight	Width	Day	Week	4 Weeks
DV23E	33.5 HP	5,270 lb	39.4"	\$245	\$705	\$2,060
DV26E	31 HP	5,842 lb	47.2"	\$310	\$895	\$2,605
DV36E	43.5 HP	8,290 lb	51.2"	\$490	\$1,420	\$4,115
DV45E	40 HP	10,296 lb	54.3"	\$490	\$1,420	\$4,115
DV209D	100 HP	21,080 lb	71"	\$550	\$1,590	\$4,620
DV210D	100 HP	22,930 lb	71"	\$580	\$1,685	\$4,890

DYNAPAC

		Operating	Drum			
Model	Rated HP	Weight	Width	Day	Week	4 Weeks
CC3200	100 HP	18,000 lb	72.8"	\$580	\$1,685	\$4,890

Trench Rollers – Remote Control





		Operating		Drum			
Model	Rated HP	Weight	Capacity	Width	Day	Week	4 Weeks
RTLx-SC3	16 HP	3,020 lb	2,400 lb	32.0"	\$245	\$735	\$2,390

Equipped with diesel engine • Remote-controlled

Compact Utility Vehicles



MUD BUGGY

Model	Weight	Load Capacity	Day	Week	4Weeks
MB 1600 Tire	1,370 lbs	2,500 lb	\$80	\$300	\$790
MBTX 2500 Track	1,640 lbs	2,500 lb	\$165	\$570	\$1,495

DINGO

Model	Weight	Operating Capacity	Day	Week	4Weeks
TX1000	2,790 lbs	1,075 lbs	\$180	\$600	\$1,685
TX525	2,013 lbs	553 lbs	\$165	\$490	\$1,465

DINGO ATTACHMENTS

Description	Day	Week	4Weeks
Auger	\$80	\$245	\$735
Forks	\$45	\$135	\$380
Grapple	\$65	\$270	\$625
Power Rake	\$110	\$325	\$980
Trencher	\$80	\$270	\$840



Machine Control Systems







Model	Day	Week	4 Weeks
LMR240	\$55	\$80	\$215
LMR360	\$110	\$135	\$410
DM200	\$110	\$135	\$410
CoPilot	\$165	\$325	\$545
iCON Grade iGD2, 2D System	\$625	\$1,575	\$3,585
iCON Grade iGD3, 3D System	\$680	\$1,740	\$3,910
Base Station & Rover Jobsite Setup	\$815	\$2,175	\$4,345
(one month minimum)			



Lasers



104" Model	Distance	Day	Week	4 Weeks
Rugby Beam Laser	3,000'	\$85	\$215	\$650
Rugby Grade Laser	2.500'	\$55	\$165	\$490



Trench Shielding and Shoring Equipment

Shoring Products for Sale or Rent

Luby Shoring provides a wide selection of standard and custom trench shielding and shoring options. Our equipment is cost effective and versatile, and it is relied upon by underground utility professionals, municipalities, and private contractors. All products are Professional Engineer certified to help you meet OSHA's excavation and trench safety standards.

Steel Trench Shields & Spreader Pipe

Double Wall Steel Trench Shields

- Reinforced top rails
- · Adjustable and stackable
- · Four point lifting system
- · Spreaders for Steel Trench Shields
- · 4 and 5 pipe independent spreader sets
- 24" to 240" length



Build-A-Box Modular Aluminum Trench Shield System

- Telescoping spreader sets in a variety of sizes
- Stackable with Build-A-Box
- Greatest strength to weight ratio in the industry
- Assembled in minutes
- Changes can be made on the spot to adjust to any job with light to extreme conditions

Slide Rail System

A universal component steel trench shielding system

- Standard 4 sided pit saves time and money with installation and excavation completed together
- ClearSpan™ System incorporates special waters for larger unobstructed four sided working pits
- Linear or four sided multi-bay is ideal when installing next to existing utilities and structures

Manhole Shields



- Designed to be used in two, three, or four sided configurations with an independent spreader system
- Can also be used with the 6" schedule 80 spreader

Hydraulic Trench Shoring



- Two 8" wide rails ranging in size from 1.5' to 16" tall
- 2" diameter hydraulic cylinders
- Oversleeve to protect cylinder
- Fittings and hose
- Cylinder extension system
- 5 gal pump can (plastic or steel)
- Biodegradable shoring fluid
- Release tool & removal hook
- Chudoform (4' x 8' sheets)
- · Finger guards

Stone Mizer



Bedding Material Containers


- From 36" x 60" x 140" to 60" x 90.5" x 224"
- Holds 4,210 14,600 lb



www.lubyshoring.com • 636-66-SHOR (7467)

Luby Shoring Services, LLC is indepently owned and operated

Rental Terms and Conditions



Credit Approval

A Credit Application must be submitted and approved for any open account rentals. For new accounts or cash only accounts, a deposit will be required and a credit card received and charged with prior approval in the amount of the twice expected rental.

Freight Charges

Luby Equipment Services will allow pickup and return at the closest Luby branch. Loading, unloading, dismantling, or assembling will be an additional charge. Luby Equipment Services offers delivery and pickup to your job.

Time Basis and Rates

A one-day rental is based on eight (8) hours maximum use withina 24-hour period. A one-week rental will allow 40 hours of use in even (7) days, and a 4-week rental will allow 160 hours of use in a 28-day period. Additional hours and late returns will be charged at an overtime rate of 1/6 of the daily rate. If operating on double shift, rates will reflect 1.5 times the applicable rates. Triple shift operation will reflect 2 times the applicable rate. Weekend rentals are available from 3:00 pm Friday until 9:00 am Monday morning with an 8-hour maximum operating usage. Additional hours and late returns will be charged at an overtime rate of 1/6 of the daily rate. Holiday rentals are available from 3:00 pm the day prior to the holiday until 8:00 am the following business days after the holiday. Eight (8) hours will be the maximum operating time available. Additional hours and late returns will be charged at a normal time rate of 1/6 of the daily rate.

Rental Period

The rental period begins when equipment leaves the lessor's yard and ends when the equipment is returned to the lessor's yard. On out-of-town shipments, rentals start the day of the Bill of Lading of shipments and stop at the date of the returned Bill of Lading.

Damage Waiver

Liability—Coverage must be assured for all risks and liability, from loss or all damages, for injuries or death to persons or destination of property arising out of the use, possession, or transportation of rental equipment.

Physical Damage—Rental equipment must be insured for full value against all risks or physical damage and loss, including vandalism and theft. Lessee must carry product liability coverage for all risk and liability. The lessee's Certificate of Insurance must be provided prior to the delivery of equipment. Luby Equipment Services must be named as additional insured in all Certificates of Insurance.

Luby Equipment Services Damage Waiver—Luby Equipment Services can provide physical damage waiver insurance coverage. If this is chosen, an additional cost will apply. This will eliminate your need to supply a Certificate of Insurance. The premium will be as noted on the rental contract.

This coverage allows a deductible equal to the monthly rental rate, which is the responsibility of the lessee, as part of the Luby Equipment Services Damage Waiver Policy.

Rental Contract/Delivery Ticket

A rental contract must be signed and executed on every rental transaction, with all pertinent data furnished prior to the release of the rental equipment. Lessee may be required to sign a UCC financing statement, which protects Luby Equipment Services' security in the rented equipment.

Fuel, Repairs, and Maintenance

Luby Equipment Services' rental equipment will be delivered to the lessee in good operating condition and should be returned to lessor in the same condition as delivered, less normal wear. Any condition that the lessee finds to be unsatisfactory must be indicated before the rental period begins. Lessee is responsible for the normal maintenance and lubrication, such as oil changes and filters, during the rental period. The equipment will be delivered full of fuel. Fuel used will be charged. All repairs required due to abuse or negligence will be charged to the lessee upon return of damaged rental equipment. All charges for abnormal cleanup will also be charged to the lessee.

If the rental unit is converted into a sale, all non-warrantable repairs and maintenance made during the rental period will be added to the conversion price.



Equipment is Our Product. Service is Our Business.

Parts • Sales • Service • Rentals

www.lubyequipment.com

Construction Equipment & Power Generation Locations

Missour



Saint Louis* 2300 Cassens Dr. Fenton, MO 63026 636-343-9970 Rental Hotline 636-660-7900



Cape Girardeau* 199 Airport Rd. Cape Girardeau, MO 63702 573-334-9937



O'Fallon* 2999 Mexico Rd. O'Fallon, MO 63366 636-332-9970

Illinois



Fairmont City 921 N. 1st St. Fairmont City, IL 62201 618-397-9971



Quincy* 2625 North 24th St. Quincy, IL 62305 217-222-5454



Springfield* 4375 Camp Butler Rd. Springfield, IL 62707 217-744-2233

Oilfield Division Location

West Virginia



Buckhannon 271 Weatherford Blvd. Buckhannon, WV 26201 304-473-0100





FECON TAKEUCHI















